

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:49
L2	266	L1 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:42
L3	39	2 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L4	122	L1 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:42
L5	14	4 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L6	1362	selective\$2 near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L7	8	6 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L8	31997	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (procedure\$1 or code or instruction\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:50
L9	8309	(execut\$4 or run\$4) near2 (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:51
L10	217	8 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:51

L11	83	8 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:52
L12	2	10 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:53
L13	2	11 with selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:55
L14	5	10 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:04
L15	0	11 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:56
L16	11	8 same (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:03
L17	10	8 with (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:59
L18	114	1 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L19	42	1 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L20	3	18 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:02

L21	2	19 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:02
L22	0	6 same (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:03
L23	18	6 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:06
L24	8	6 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:04
L25	32657	different near2 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:07
L26	1	6 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:07
S1	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:09
S2	12571	multi adj processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10
S3	36	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10
S4	24	S1 with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10

S5	6	(S3 or S4) same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S6	6	S5 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:35
S7	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:55
S8	105	S7 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:44
S9	12571	multi adj processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S10	0	S8 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:22
S11	3	S8 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:26
S12	36072	(multi adj processor\$1) or multiprocessor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S13	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S14	75	S13 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19

S15	62	S13 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S16	10	(S14 or S15) same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S17	10	S16 same memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:20
S18	3	S8 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:28
S19	38	S8 same (volatile adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:29
S20	3	S19 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:28
S21	10	S16 same (volatile adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:35
S22	114	S7 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50
S23	42	S7 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:43
S24	4	S22 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50

S25	0	S23 with (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:44
S26	1512	boot adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:48
S27	2780	(boot or initializ\$5) adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:49
S28	720	(load\$3 or stor\$3) near2 S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50
S29	174	S28 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:58
S30	87	S29 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:52
S31	61	S28 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:51
S32	12	S31 with (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:51
S33	144	S29 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:37
S34	29	S31 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:19

S35	7	S33 same (selective\$2 or alternative\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:55
S36	2	S34 with (selective\$2 or alternative\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:36
S37	0	S33 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S38	0	S34 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S39	0	S33 same S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:33
S40	0	S33 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S41	0	S34 with ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S42	39	S22 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:59
S43	14	S23 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:45
S44	1	S33 same (user adj select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:56

S45	0	S34 with (user adj select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:57
S46	397	(user adj select\$4) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:58
S47	12	S46 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:42
S48	4	S46 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:59
S49	2	S47 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:40
S50	1	S48 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:00
S51	68	S13 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:41
S52	34	S13 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:05
S53	36	S51 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:46
S54	2	S52 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:06

S55	407	(boot\$3 or initializ\$5 or bootstrap\$4) near5 ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:31
S56	38	S55 same master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S57	8	S56 same slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34
S58	26	S55 with master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:28
S59	5	S58 with slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:29
S60	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:32
S61	4281	S60 same (multiple or many or more or plurality or multi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S62	1418	S60 with (multiple or many or more or plurality or multi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S63	219	S61 same master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:40
S64	73	S63 same slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34

S65	54	S62 with master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34
S66	13	S65 with slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:35
S67	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:35
S68	71	S61 same S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:40
S69	53	S62 with S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S70	2780	(boot or initializ\$5) adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S71	720	(load\$3 or stor\$3) near2 S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S72	4	S68 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:43
S73	1	S69 with S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:44
S74	4	S68 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:36

S75	2	S74 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:37
S76	0	S69 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:47
S77	8	S69 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:48
S78	44	("5450576").URPN.	USPAT	OR	OFF	2005/01/06 14:03
S79	23	("5596738").URPN.	USPAT	OR	OFF	2005/01/06 14:22
S80	25	("5659748").URPN.	USPAT	OR	OFF	2005/01/06 14:26
S81	19	("5724527").URPN.	USPAT	OR	OFF	2005/01/06 14:30
S82	12	("5790850").URPN.	USPAT	OR	OFF	2005/01/06 14:34
S83	27	("5835760").URPN.	USPAT	OR	OFF	2005/01/06 14:38
S84	9	("5904733").URPN.	USPAT	OR	OFF	2005/01/06 14:51
S85	1	("6055631").URPN.	USPAT	OR	OFF	2005/01/06 14:55
S86	14	("4621363" "4752870" "4885770" "4943911" "5280627" "5325529" "5367688" "5452454" "5497492" "5590340" "5668977" "5689654" "5822405" "5822582").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 14:55
S87	17	("4631701" "4649505" "4720812" "5319574" "5333273" "5388267" "5408624" "5432927" "5463766" "5551045" "5564054" "5699546" "5701492" "5784611" "5822581" "5884055" "5960445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 14:59
S88	7	("5155837" "5257380" "5327531" "5473775" "5522076" "5579522" "5774554").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:04
S89	14	("5450576" "5495569" "5642506" "5673388" "5675772" "5724527" "5758325" "5768585" "5790850" "5860002" "5862151" "5867702" "5904733" "6009521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:07
S90	5	("5136713" "5210875" "5517646" "5999476" "6047373").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:09

S91	15	("5016009" "5022077" "5136713" "5187792" "5193170" "5202994" "5210875" "5355498" "5423019" "5455933" "5481701" "5491790" "5530847" "5559978" "5574927").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:12
S92	24	("5430845" "5671413" "5680556" "5835760" "5836013" "5841953" "5901310" "5905888" "5951684" "5951685" "6003103" "6009520" "6061745" "6145078" "6173381" "6182213" "6216225" "6282644" "6282647" "6298422" "6370631" "6393492" "6401198" "6434695").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:16
S93	4	("5669002" "5673388" "5724527" "6108781").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:21
S94	3	("4752870" "6101598" "6253233").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:22
S95	4	("5694538" "5829013" "6081890" "6594723").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:26
S96	9	("5408661" "5579300" "5687947" "6081890" "6366654" "6400471" "6553426" "6584573" "6594756").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:27
S97	8	("5951683").URPN.	USPAT	OR	OFF	2005/01/06 15:32
S98	8	("5951683").URPN.	USPAT	OR	OFF	2005/01/06 15:34
S99	10	("4634110" "4648035" "4674033" "4954945" "5257372" "5418955" "5465360" "5491788" "5568617" "5583987").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:35
S10 0	15	("5623610" "5680113" "5715475" "5724527" "5991831" "6009480" "6011781" "6108752" "6108781" "6295573" "6389029" "6389495" "6389526" "6496503" "6560654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:40

S10 1	46	("4181940" "4268904" "4271468" "4276594" "4561051" "4745545" "4754398" "4796176" "4893234" "4901230" "5043882" "5179707" "5202970" "5247637" "5283904" "5367690" "5410710" "5423049" "5428783" "5428803" "5446910" "5448716" "5450576" "5491788" "5495615" "5507032" "5511200" "5524209" "5555420" "5579505" "5583987" "5596759" "5669002" "5721931" "5724527" "5758169" "5768585" "5778236" "5784630" "5805883" "5864781" "5889983" "6009521" "6112282" "6188381" "6237019").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:43
S10 2	5	("6012142").URPN.	USPAT	OR	OFF	2005/01/06 15:47
S10 3	8	("5070450" "5117486" "5173933" "5233654" "5257377" "5450576" "5659748" "5664195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:48
S10 4	24	("5987605").URPN.	USPAT	OR	OFF	2005/01/06 15:50
S10 5	11	("5867702").URPN.	USPAT	OR	OFF	2005/01/06 15:53
S10 6	29	("5860001").URPN.	USPAT	OR	OFF	2005/01/06 15:54
S10 7	12	("5276832" "5448716" "5642506" "5655149" "5790850" "5848367" "5860002" "5867702" "5904733" "6009521" "6058475" "6108781").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:56
S10 8	19	("4943911").URPN.	USPAT	OR	OFF	2005/01/06 16:01
S10 9	34	("4720812").URPN.	USPAT	OR	OFF	2005/01/06 16:04
S11 0	4	("5999476").URPN.	USPAT	OR	OFF	2005/01/06 16:07
S11 1	10	("5109521" "5579522" "5600766" "5671413" "5696926" "5836013" "5901310" "5940871" "6195107" "6216225").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:10
S11 2	4	("5603011" "5835761" "5836013" "5951685").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:13

S11 3	3	("5428528" "5952932" "6044136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:14
S11 4	25	("5428528").URPN.	USPAT	OR	OFF	2005/01/06 16:15
S11 5	307	bootstrap adj (proceduer\$1 or function\$1 or code or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:36
S11 6	36	S115 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S11 7	30	S116 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S11 8	10	S115 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:37
S11 9	5	S118 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:47
S12 0	17	("5068780").URPN.	USPAT	OR	OFF	2005/01/06 16:42
S12 1	75	(load\$3 or stor\$3) near5 S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S12 2	14	S121 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:49
S12 3	11	S122 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:51

S12 4	7	S121 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:49
S12 5	3	S124 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:50
S12 6	7	("5235639").URPN.	USPAT	OR	OFF	2005/01/06 16:52
S12 7	44	("4663707").URPN.	USPAT	OR	OFF	2005/01/06 16:53
S12 8	9303	master near2 (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S12 9	5117	slave\$1 near2 (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:32
S13 0	16758	first adj (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S13 1	14447	second adj (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S13 2	235	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S13 3	85	S132 same S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 4	56	S132 with S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38

S13 5	118	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 6	44	S132 same S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 7	40	S132 with S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 8	368	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S13 9	144	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S14 0	48	S138 same S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:40
S14 1	38	S138 with S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:41
S14 2	18	S136 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:26
S14 3	11	S142 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:50
S14 4	7	S137 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45

S14 5	0	S144 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:51
S14 6	5	S140 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45
S14 7	1	S146 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:49
S14 8	0	S141 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45
S14 9	2	S146 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:26
S15 0	11	S142 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:55
S15 1	0	S144 with (RAM or SRAM DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:52
S15 2	7	("5109484" "5146568" "5280627" "5367688" "5379431" "5574915" "5913058").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:08
S15 3	9	("5109329" "5361362" "5412803" "5655082" "5951683" "5987506" "6018782" "6112230" "6144995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:09
S15 4	1	("5148516").URPN.	USPAT	OR	OFF	2005/01/07 09:11
S15 5	4	("5361365" "5802003" "6192469" "6473853").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:13
S15 6	0	("5552981").URPN.	USPAT	OR	OFF	2005/01/07 09:14
S15 7	2	("5757639").URPN.	USPAT	OR	OFF	2005/01/07 09:15

S15 8	1941	central\$4 near3 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:21
S15 9	5	S158 same S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 0	3	S159 same S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:24
S16 1	2	S158 with S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:25
S16 2	0	S161 with S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:22
S16 3	1	S158 same S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 4	1	S163 same S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:25
S16 5	0	S158 with S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 6	108	S158 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S16 7	41	S166 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:31

S16 8	50	S158 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S16 9	4	S168 with (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S17 0	13953	(programmable adj logic adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:33
S17 1	17550	(programmable adj logic adj device\$1) or PLD\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:41
S17 2	1876	(complex adj programmable adj logic adj device\$1) or CPLD\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:34
S17 3	20128	(field adj programmable adj gate adj array\$1) or FPGA\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:35
S17 4	454	(S171 or S172 or S173) near5 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42
S17 5	1	S174 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42
S17 6	1320350	(programmable adj logic adj array\$1) or PLA\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:41
S17 7	239576	(programmable adj array adj logic) or PAL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42

S17 8	2179	(S171 or S172 or S173 or S176 or S177) near5 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S17 9	2	S178 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 0	6883	(S171 or S172 or S173 or S176 or S177) same (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 1	3665	(S171 or S172 or S173 or S176 or S177) with (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 2	44	S180 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:46
S18 3	1	S181 with ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:46
S18 4	2	"5448716".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:40
S18 5	9	("5448716").URPN.	USPAT	OR	OFF	2005/01/07 14:41
S18 6	12	("4674033" "5289585" "5289588" "5297265" "5440698" "5448716" "5469549" "5579504" "5581734" "5634037" "5655102" "5694538").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 14:49
S18 8	8	(identical or (the adj /same)) near5 ((boot or initializ\$5) adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:05
S18 9	3	(identical or (the adj /same)) near2 ((boot or initializ\$5) adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:03

S19 0	8	(identical or (the adj /same)) near5 (((boot or initializ\$5) adj code) or instrction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:08
S19 1	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:13
S19 2	1172	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) same S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:13
S19 3	323	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) with S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:14
S19 4	93	S192 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:14
S19 5	10	S193 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:46
S19 6	6	("4034349" "5448716" "5564060" "5583987" "5642506" "5724527").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/08 11:23
S19 7	38	("5583987").URPN.	USPAT	OR	OFF	2005/01/08 11:35
S19 8	27	("4030073" "4528634" "4811219" "4896289" "5070450" "5566325" "5583987" "5592616" "5608876" "5740399" "5742758" "5809531" "5835695" "5835784" "5842012" "5850152" "5854937" "5860021" "5892943" "5918047" "5987537" "5999989" "6009522" "6014744" "6101600" "6154838" "6216224").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/08 11:48
S19 9	30	("5070450").URPN.	USPAT	OR	OFF	2005/01/08 11:59

S20 0	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 12:59
S20 1	4	S200 same (different near2 memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 12:52
S20 2	20	("5155833").URPN.	USPAT	OR	OFF	2005/01/08 12:56
S20 3	466286	((multiple or many or more or plurality or multi) near2 (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM) or (RAM or SRAM or DRAM or SDRAM or DPRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:01
S20 4	13929	((multiple or many or more or plurality or multi) near2 (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:09
S20 5	16545	((multiple or many or more or plurality or multi) near2 (RAM or SRAM or DRAM or SDRAM or DPRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:02
S20 6	2	S200 same (S204 or S205)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:03
S20 7	127397	((((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM) near5 (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:12
S20 8	877	S207 same S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:13
S20 9	345	S207 with S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:14

S21 0	22	S207 same S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:17
S21 1	7	S207 with S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:14
S21 2	61	S208 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:18
S21 3	8	S209 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:17
S21 4	1	S212 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 5	5	S208 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 6	0	S209 with selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 7	2	"5155833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 07:59

S21 8	33	("4070704" "4195341" "4236207" "4257097" "4313158" "4354225" "4371929" "4419725" "4430704" "4439829" "4442488" "4459662" "4545016" "4580240" "4590556" "4608631" "4631668" "4654819" "4663707" "4679166" "4680702" "4685082" "4719568" "4720812" "4727484" "4740889" "4779189" "4780808" "4788656" "4794524" "4819154" "4868738" "4899275").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 07:59
S21 9	20	("5155833").URPN.	USPAT	OR	OFF	2005/01/10 08:01
S22 0	1	"5388267".pn.	USPAT	OR	OFF	2005/01/10 08:01
S22 1	129	("5388267").URPN.	USPAT	OR	OFF	2005/01/10 08:02
S22 2	21	("4270205" "5321840" "5325529" "5388267" "5519843" "5522076" "5535357" "5535419" "5579522" "5603056" "5606662" "5675748" "5727207" "5734898" "5752042" "5778070" "5826015" "5960445" "5964873" "6009524" "6026016").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 08:16
S22 3	2	"5432927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:18
S22 4	49	("5432927").URPN.	USPAT	OR	OFF	2005/01/10 08:19
S22 5	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:47
S22 6	323	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) with S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:47
S22 7	10	S226 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:52

S22 8	1	S227 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S22 9	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S23 0	163	S229 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S23 1	44	S230 and (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:52